

#### GUANGZHOU LEY&SONS ENVIRONMENTAL TECHNOLOGY CO.,LTD



## 4.11 High Efficiency Air Supply Outlet





#### Classification

**Purification Equipment** 

#### **Product Description**

## **High Efficiency Air Supply Outlet**

## **\*Optimal Airflow Distribution**

Advanced design, optimal airflow distribution and simple box structure. As a terminal filtration device for renovating and constructing clean rooms of Class 1000-300000, and a key equipment to meet purification requirements.

## **%Use of High-quality Sheets**

The box body is made of cold-rolled steel plate with baking finish or stainless steel.

# **\*\*Carefully Designed Diffuser Plate**

Based on the principles of aerodynamics, the carefully designed diffuser plate ensures the airflow injection speed and prevents the generation of eddy currents.

# **\*\*Flexible Air Supply Modes**

There are two types of flange openings, square and round. It has a compact structure, reliable sealing, and thermal insulation cotton is available.

## **\*\*Application Fields**

Suitable for non-uniform flow clean rooms of various grades and multiple roof structures.





# GUANGZHOU LEY&SONS ENVIRONMENTAL TECHNOLOGY CO.,LTD

#### **%Size&Data**

Mini pleat fine efficiency air s upply outlet	Model	LJ-DCT320 -2	LJ-DCT484 -2	LJ-DCT610- 2
	Box size (W*L*H) (mm)	370*370*3 80	534*534*3 80	660*660*3 80
	Filter size (W*L*H) (mm)	320*320*9 0	484*484*9 0	610*610*9 0
	Flange size (A*B) (mm)	200*200	320*200	400*200
	Rated airfl ow (m³/h)	500	1000	1500

Deep Pleat(cardboard) fine efficie ncy air supply outlet	Model	LJ-DCT32 0-3	LJ-DCT48 4-3	LJ-DCT61 0-3
	Box size (W*L*H) (mm)	370*370* 500	534*534* 500	660*660*5 00
	Filter size (W*L*H) (mm)	320*320* 220	484*484* 220	610*610*2 20
	Flange siz e (A*B) (mm)	200*200	320*200	400*200
	Rated airfl ow (m³/h)	500	1000	1500

Besides the size above, custom size acceptable.

## **Related Products**

